Table: ClientMain

| QID | Question | Field Name | Mandatory | Multi Select | Responses | Go to QID |
|-----|---|--------------|-----------|--------------|---------------------------------|-----------|
| 0 | Agency | Agency | 1 | | | |
| 0 | Client ID | Client_ID | 1 | | | |
| 1 | Client Gender | Gender | 1 | 0 | | |
| | | | | | Male | #REF! |
| | | | | | Female | 2 |
| | | | | | Transgender M to F | 2 |
| | | | | | Transgender F to M | 2 |
| | | | | | Other | 2 |
| | | | | | Unknown | 2 |
| 2 | Annual Dental Exam during study period? | AnnualDental | 1 | 0 | | |
| | | | | | Referral done | 3 |
| | | | | | Documented Visit | 3 |
| | | | | | Reported Visit | 3 |
| | | | | | No | 3 |
| | | | | | Declined need | 3 |
| 3 | Was a MH Referral need identified (documented) during study period? | MHReferNeed | 1 | 0 | | |
| | | | | | Yes | 4 |
| | | | | | Yes - Patient Already In Care | 6 |
| | | | | | No | 6 |
| | | | | | N/A - No MH Screen | 6 |
| 4 | Was MH Referral done during the study period? | MHReferDone | 1 | 0 | | |
| | | | | | No | 6 |
| | | | | | Yes | 5 |
| | | | | | Refused | 6 |
| | | | | | Addressed by PCP | 6 |
| 5 | Was MH visit actually completed by patient? | MHVisit | 1 | 0 | | |
| | | | | | Yes - Patient Report | 6 |
| | | | | | Yes - MH Specialist Report | 6 |
| | | | | | Yes - CM Report | 6 |
| | | | | | No - Visit Cancelled or No Show | 6 |
| | | | | | No - No Data | 6 |
| | | | | | N/A - Need Not Identified | 6 |
| 6 | Was a SA Referral need identified (documented) during study period? | SAReferNeed | 1 | 0 | | |
| | | | | | No | 8 |

| | 1 | ı | <u> </u> | | |
|----|---|-------------|----------|--------------------------|----------|
| | | | | Yes | 7 |
| | | | | N/A - No SA Screen | 8 |
| 7 | Was SA Referral done during the study period? | SAReferDone | 1 | 0 | |
| | | | | No | 8 |
| - | | | | Yes | 8 |
| - | | | | Refused | 8 |
| | | | | N/A | 8 |
| 8 | Is tobacco use indicated on health history during the study period? | TobaccoUse | 1 | 0 | |
| | and stady period. | | | No | 10 |
| | | | | Yes | 9 |
| | | | | N/A - No Tobacco Screen | 10 |
| 9 | Was tobacco cessation counseling provided? | TobaccoCess | 1 | 0 | 10 |
| | True tobacce eccenteri ecunicimig provided. | 100000000 | | No | 11 |
| - | | | | Yes | 11 |
| | | | | Refused | 11 |
| | | | | N/A | 11 |
| 10 | Does client currently have CD4 <200> | AIDSDI | 1 | 0 | |
| | 2000 Gillotti Garrettay Have GB 1 200 | 7 (13 03) | | Yes | 11 |
| - | | | | No | 12 |
| 11 | Was PCP prophylaxis offered: | | 1 | 0 | |
| | | | | Yes - On Prophylaxis | 12 |
| | | | | No | 12 12 |
| | | | | Refused | 12 |
| | | | | N/A | 12 |
| 12 | Initial ART Rx? | | | | |
| | | | | Yes | 13 |
| | | | | No | 14 |
| 13 | ART resistance testing done? | | 1 | 0 | |
| | | | | Yes | 14 |
| | | | | No | 14 |
| | | | | N/A | 14 |
| 14 | Is patient on ARV therapy during the study period? | ARVStudy | 1 | 0 | |
| | | | | Yes - Started < 6 Months | 15 |
| | | | | Yes - Started > 6 Months | 15 15 |
| | | | | No - Not Offered | 15 |
| | | | | No - Refused | 15 15 |
| | | | | No Data | 15 |

| 15 | Was VL < 200 copies/ml on the last test during study period? | VL200Last | 1 | 0 | | |
|-----|---|-----------------|---|---------|-----------------------|----------------------|
| | | | | Yes | | 16 16 |
| | | | | No | | 16 |
| | | | | N/A | | 16 |
| 16 | Annual & ARV Lab work: Lipid Profile screening | ARVLipid | 1 | 0 | | |
| | | | | Yes | | 17 |
| | | | | No | | 17 |
| | | | | Refuse | ed | 17 |
| | | | | N/A | | 17 |
| 17 | At least 2 VL counts done at least 6 mths apart within review period? | VL_6M | 1 | 0 | | |
| | · | | | Yes | | 18 |
| | | | | No | | 18 |
| | | | | Refuse | ed | 18 18 |
| 18 | Syphilis test done during study period? | SyphScreen | 1 | 0 | | |
| 7.0 | | | | Negati | ive | 22 |
| | | | | Positiv | | 22 20 22 22 |
| | | | | No | - | 22 |
| | | | | Refuse | bed be | 22 |
| | | | | | Not Sexually Active | 22 |
| 20 | Was Syphilis treatment completed? | SyphTx | 1 | 0 | Tot Coxidany / totivo | |
| | vide eyprime troutment completed. | Сурптх | | Yes | | 21 |
| | | | | No | | 21 21 |
| | | | | Refuse | ad | 21 |
| | | | | N/A | | 21 |
| | After Syphilis treatment, was RPR/VDRL lab | | | IN/A | | 21 |
| 21 | repeated? | SyphTxLabRepeat | 1 | 0 | | |
| | | | | Yes | | 22 |
| | | | | No | | 22 22 22 |
| | | | | Refuse | ed | 22 |
| | | | | N/A | | 22 |
| 22 | STD Screening done during study period? | STDScreen | 1 | 0 | | |
| | | | | Yes - N | Negative | 24 |
| | | | | Yes - F | Positive CT | 24 23 23 24 |
| | | | | | Positive GC | 23 |
| | | | | No | | 24 |
| | | | | Refuse | ed | 24 |
| | | | | | Not Sexually Active | 24 24 |
| 23 | Was STD treatment completed? | STDTx | 1 | 0 | , | |

| | | | | Yes | 24 |
|----|---|-----------|---|---|----------|
| | | | | No | 24 |
| | | | | Refused | 24 24 |
| | | | | N/A | 24 |
| 24 | ANSWER ONLY IF QID 2 IS FEMALE OR TRANSGENDER FEMALE TO MALE, IF NOT GO TO QID 26. PAP Screening: PAP smear done in last 3 years? | PapScreen | 1 | 0 | |
| | | | | Yes - Normal | 26 |
| | | | | Yes - Abnormal | 25 |
| | | | | No | 26 |
| | | | | Refused | 26 26 |
| | | | | N/A - Hysterectomy for Benign | 26 |
| | | | | N/A - Male | 26 |
| 25 | For abnormal PAP, was a follow-up procedure done? | PapAbnFU | 1 | 0 | |
| | | | | Yes - Gyn Referral | 26 |
| | | | | Yes - Colpo Done | 26 |
| | | | | No Referral | 26 26 |
| | | | | No - Pt Refused | 26 |
| | | | | No Data | 26 |
| 26 | Anal PAP Screening: Anal PAP done during the study period? | AnalPap | 1 | 0 | |
| | | | | Yes - Normal | |
| | | | | Yes - Abnormal | |
| | | | | No | |
| | | | | Refused | |
| 27 | Hepatitis A status Documented | НерА | 1 | 0 | |
| | | | | Seronegative - Vaccine Series Not Completed | 28 |
| | | | | Seronegative - Vaccine Series Completed | 28 |
| | | | | Seronegative - Vaccine Refused | 28 |
| | | | | Seronegative - Vaccine Not Offered | 28 |
| | | | | Antibody + | 28 |
| | | | | Hep A+ | 28 |
| | | | | No | 28 |
| | | | | Refused | 28 |
| 28 | Hepatitis B status Documented | HepB | 1 | 0 | |

| | | | | Seronegative - Vaccine Series Not | 29 |
|-----|---|----------|---|------------------------------------|----------------------------|
| | | | | Completed | 29 |
| | | | | Seronegative - Vaccine Series | 29 |
| | | | | Completed | |
| | | | | Seronegative - Vaccine Refused | 29 |
| | | | | Seronegative - Vaccine Not Offered | 29 |
| | | | | Antibody + | 29 29 29 |
| | | | | Hep B+ | 29 29 29 |
| | | | | No | 29 |
| | | | | Refused | 29 |
| 29 | Hepatitis C Status Documented | HepC | 1 | 0 | |
| | | | | Seronegative | 31 |
| | | | | Seropositive | 30 |
| | | | | No | 31 30 31 |
| | | | | Refused | 31 |
| 30 | Hepatitis C Treated? | HepCtx | 1 | 0 | |
| | | | | Tx complete-cured | 31 |
| | | | | Tx complete-pending | 31 31 |
| | | | | Tx complete-failed | 31 |
| | | | | In treatment | 31 |
| | | | | Referred for Treatment | 31 31 31 |
| | | | | N/A- acute infec only | 31 |
| | | | | No | 31 |
| 0.4 | Tuberculosis (Tb) Screening: Was Tb screening | TD0 | 4 | | |
| 31 | done? | IBScreen | 1 | 0 | |
| | | | | Yes - PPD Placed Only | 33 |
| | | | | Yes - TST Positive | 33 32 33 33 |
| | | | | Yes - TST Negative | 33 |
| | | | | Refused | 33 |
| | | | | No - Previous Hx of TB | 33 |
| | | | | Treatment/+PPD | |
| | | | | No | 33 |
| 32 | For TB + | TBTx | 1 | 0 | |
| | | | | Treatment Prescribed | 33 |
| | | | | Referred for Treatment | 33 33 33 33 33 |
| | | | | Refused Treatment | 33 |
| | | | | No Data | 33 |
| | | | | N/A | 33 |
| 33 | Immunizations provided: Influenza | FluVx | 1 | 0 | |
| | | | | Yes | 34 |

| | | | | No | 34 |
|----|--|-----------|---|----------------------------|----------------------------|
| | | | | Refused | 34 |
| | | | | N/A | 34 |
| | | | | Vaccine not available | 34 |
| 34 | Immunizations provided: Pneumococcal | PneumoVx | 1 | 0 | |
| | · | | | Yes- PPV23 | 35 |
| | | | | Yes- PPV13 | 35 |
| | | | | Yes- both PPVs | 35 |
| | | | | No | 35 35 35 35 |
| | | | | Refused | 35 |
| 35 | Was medication education documented for current ARV regimen? | ARVMedEdu | 1 | 0 | |
| | | | | Yes | 36 |
| | | | | No | 36 36 36 |
| | | | | N/A | 36 |
| 36 | Pt educated on HIV/AIDS Risk Reduction/Exposure Prevention? | EduHARisk | 1 | 0 | |
| | | | | Yes | 37 |
| | | | | No | 37 |
| 37 | ANSWER ONLY IF QID 2 IS FEMALE OR TRANSGENDER FEMALE TO MALE. Pregnancy intentions/birth control options discussed (in addition to condoms)? | PregBC | 1 | 0 | |
| | | | | Yes - BC Prescribed | 39 |
| | | | | Yes - BC Not Prescribed | 39 |
| | | | | Yes - BC Refused | 39 39 38 39 39 |
| | | | | Yes - Pt wants to conceive | 38 |
| | | | | No | 39 |
| | | | | N/A | 39 |
| | | | | N/A - Male | 41 |
| 38 | Was preconceptional counseling provided (ARV, risk reduction, health promotion)? | Preconcep | 1 | 0 | |
| | | | | Yes | 39 |
| | | | | No | 39 |
| | | | | N/A | 39 |
| 39 | Was client pregnant during the review period | Pregnant | 1 | 0 | |
| | | | | Yes | 40 |
| | | | | No | 41 |
| | | | | N/A | 41 |

| 40 | If pregnant, was client on antiretroviral therapy during this review period | PregARV | 1 | 0 | |
|----|---|---------|---|-----------------------------|------|
| | | | | Yes - Prior to Pregnancy | |
| | | | | Yes - Started 1st Trimester | |
| | | | | Yes - Started 2nd Trimester | |
| | | | | Yes - Started 3rd Trimester | |
| | | | | No - Referred for Treatment | |
| | | | | No | |
| | | | | N/A | |
| 41 | Medication adherence: visit 1 | MedAdh1 | 1 | 0 | |
| | | | | Yes | 42 |
| | | | | No | 42 |
| | | | | N/A | 42 |
| | | | | No Visit | 42 |
| 42 | Medication adherence: visit 2 | MedAdh2 | 1 | 0 | |
| | | | | Yes | 43 |
| | | | | No | 43 |
| | | | | N/A | 43 |
| | | | | No Visit | 43 |
| 43 | Medication adherence: visit 3 | MedAdh3 | 1 | 0 | |
| | | | | Yes | 44 |
| | | | | No | 44 |
| | | | | N/A | 44 |
| | | | | No Visit | 44 |
| 44 | Medication adherence: visit 4 | MedAdh4 | 1 | 0 | |
| | | | | Yes | |
| | | | | No | |
| | | | | N/A | |
| | | | | No Visit | |
| 45 | IPV identified? | | | | |
| | | | | Yes | 46 |
| | | | | No | done |
| | | | | N/A no screen | done |
| 46 | Safety assessment done? | | | | |
| | | | | Yes | 47 |
| | | | | No | 47 |
| 47 | Safety Plan done? | | | | |
| | | | | Yes | done |
| | | | | No | done |
| 48 | BG or HbA1c done? | BGHbA1c | 1 | 0 | |

| | | | | Yes | 49 |
|----|---------------------------------|----------------|---|------------------|----------|
| | | | | No | 49 |
| | | | | | |
| 49 | Is client diabetic? | Diabetic | 1 | 0 | |
| | | | | Yes | 50 |
| | 111.4.4 (20) | 111.04.0 | | No | 51 |
| 50 | HbA1c <8% | HbA1c8 | 1 | 0 | F.4 |
| | | | | Yes No | 51 51 |
| 51 | Does client have hypertension? | Hypertension | 1 | 0 | 31 |
| 01 | Does client have hypertension: | Tryperterision | ' | Yes | 52 |
| | | | | No | 53 |
| 52 | If Yes, is BP <140/90 | HyperBP | 1 | 0 | |
| | | | | Yes | 53 |
| | | | | No | 53 |
| | | | | No, >60, <150/90 | 53 |
| | | | | No, >60, >150/90 | 53 |
| 53 | Is client >50 y.o.? | Age50 | 1 | 0 | |
| | | | | Yes | 54 |
| | | | | No | done |
| 54 | Colon cancer screening done? | ColonScrn | 1 | 0 | |
| | | | | colonoscopy | |
| | | | | sigmoidoscopy | |
| | | | | FOBT | |
| | | | | CT colonography | |
| | | | | Referred | |
| | | | | No | |
| | | | | N/A | |
| 55 | For females, is client >41 y.o. | Age41 | 1 | 0 | |
| | | | | Yes | 56 |
| | | | | No | done |
| | | | | n/a | |
| 56 | Mammogram done within 2 years? | Mammo | 1 | 0 | |
| | , | | | Yes | done |
| | | | | No | done |
| | | | | Referred | done |

| | | | N/A | done |
|----|----------|--|-----|------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 57 | Comments | | | |